

LSV Wintergerste - Vorinformation Ertrag (rel.) bei ortsüblicher Intensität

Stand: 28.07.2014	2014							
	D-Nord					zu MV-Süd		
	Bie- stow #	Tütz- patz	Gül- zow	Prenz- lau	Dede- low	Vippe- row §	Lüch- feld	Beetz- dorf
Landkreis	HRO	DM	LRO	UM	UM	MÜR	OPR	SAW
Ackerzahl	45	48	45	54	42	30	34	47
langj.NS (mm)	653	527	559	498	500	609		575
<b>mehrzeitlige Sorten</b>								
Lomerit B	93	81	98	100	97	105	92	99
Hobbit H		79	100		99			
KWS Meridian B	100	114	99	99	105	102	95	98
KWS Tenor B	105	107	103	99	102	95	94	103
Medina	103	90	101	96	98			
Antonella B	95	110	97	97	98	87	106	105
SY Leoo H	89	98	98	101	98			
Titus			103	96	101	113	104	93
Anja B	114	91	100	96	97	107	101	98
KWS Keeper B	104	99	99	105	100	103	103	96
Loreley B	90	98	104	103	101	101	109	101
Galation H	101	94	101	102	101			
Daisy	89	117	103	99	97	90	99	99
Quadriga	102	106	97	102	102	101	105	99
SU Ellen	102	112	103	100	108	103	107	96
Tamina	106	110	101	100	101	99	100	99
Wootan H	100	110	102	99		98	107	103
(Celoona) H	108	102	105					
Trooper H	97	98	107					
<b>zweizeitlige Sorten</b>								
Sandra						93	111	93
Matros		106	99			106	114	98
California		106	102		101	102	118	94
Albertine						98	108	95
Findora						95	100	96
Zirene						111	116	93
Captain						100	108	93
KWS Glacier					91	109	107	98
<b>Winterbraugerste</b>								
Wintmalt	81							
KWS Joy	76							
Hickory	82							
Mezmaar	90							
Talisman	88							
100%=dt/ha	92.1	95.9	89.0	81.2	113.9	58.3	69.3	123.6
Grenzdifferenz (rel)	16.4	12.3	4.4	6.4	5.6	9.3	10.1	7.6

B - Sorten der Bezugsbasis

[ ] - geringe Datenbasis

( ) - nicht zugelassene Sorte

# - beeinflusst durch Auswinterung

H - Hybride

§ - Intensitätsstufen zusammengefasst

2008-2013		
D-Nord + MV-Süd		
Ertrag (dt/ha)	ohne Behand- lung (dt/ha)	Versuche
97	-12	64
99	-10	38
99	-10	29
101	-10	25
99	-10	22
100	-8	20
101	-12	16
96	-5	10
[ 101 ]	[ -9 ]	12
[ 101 ]	[ -9 ]	12
[ 100 ]	[ -9 ]	12
[ 98 ]	[ -8 ]	11
95	-7	18
101	-9	19
98	-7	18
[ 95 ]	[ -8 ]	7
91	-12	28
[ 94 ]	[ -10 ]	8
94.9		