

Ergebnisse – Mittel der Versuchsjahre 2012 bis 2014

Erträge, Relativer Ertrag: Korn (%), behandelte Stufe

Sorte	Qual.Gr.	Anbaugelände											
		Lö-Ackerebene				Lö-Übergangslagen				V-Standorte			
		BB	2012	2013	2014	BB	2012*	2013	2014	BB	2012*	2013	2014
			N=5	N=5	N=5		N=4	N=3	N=4		N=7	N=6	N=7
Akteur	E	X	93	91	89	X	93	95	92	X	90	94	91
Genius	E	X	95	93	97	X	96	95	96	X	96	96	100
Kerubino	(E)	X	101	104	97	X	98	101	99	X	102	101	96
Gourmet	E			96	97			100	97				93
Axioma	E				95				91				
Bernstein	E				100				99				
KWS Montana	E				97				95				
Atomic	A	X	103	105	107	X	94	103	105	X	101	107	103
JB Asano	A	X	103	103	99	X	98	102	103	X	101	102	104
Julius	A	X	100	101	103	X	106	108	103	X	102	101	103
Kometus	A	X	100	97	98	X	97	98	99	X	97	94	94
Linus	A	X	105	105	104	X	109	109	104	X	105	104	107
Meister	A		101	100	101		89	104	103		92	100	103
Opal	A	X	99	99	100	X	105	97	97	X	101	94	93
Patras	A	X	102	101	103	X	103	94	100	X	104	95	100
Potenzial	A										88	99	102
Toras	A					X	100	99	98				
Apertus	A			102	101			102	100			104	100
Pionier	A			99	99			102	97			105	99
Rebell	A			103	106			104	103				
Zeppelin	A			98	96			95	94			96	98
Attraktion	A				96				96				
Avenir	A				100				103				99
Boregar	(A)				107				98				102
Dichter	A				102				100				98
Franz	A				103								
Kompass	A				103								102
RGT Reform	A				103				100				102
Colonia	B	X	99	101	103	X	102	99	103	X	100	108	106
Desamo	B			103	103			103	101			109	104
Gordian	B			103	102			110	101			106	100
Memory	B			102	104			104	100			103	99
Johnny	B				104				103				102
KWS Loft	B				104				104				104
Mescal	B								106				102
Rumor	B				106				103				105
Stamm 4569					100				101				100
Hermann	C _K									X	101	105	103
Elixer	C			111	108			106	107			106	102
Landsknecht	C _K												108
Mittel (BB) dt/ha			108,8	100,3	112,6		101,4	97,2	112,7		93,3	90,3	99,4

* Erträge 2012 aufgrund von Auswinterungsschäden an einzelnen Standorten durch die Winterfestigkeit der Sorte beeinflusst.